


Configuration (D2000/Work with D2000 HI/Configuration in HI Process/Configuration of Compositions, Graphs and Reports/Graphs)

Configuration of graphs


Graphs are being defined in the process [D2000 HI](#). To configure them, select the **Graphs** item from menu offer **Open** and then select particular action (see the topic: [Configuration of composition, graphs and reports](#)), or click the button  in the [Main toolbar](#).

Except generally described actions (opening, deleting, assigning to logical groups), you can carry out the following action with graphs:

- [Create a new graph](#)
- [Modify the graph configuration](#)

Create a new graph


To create a new graph, select the default type of object - **Graph** from the object list and then click the button .



The system may automatically extend a graph name with an extension and prefix that are defined in this D2000 system application.

When the new graph is created the point, without object of D2000 system, is predefined in bookmark **Objects** and analogue, full dynamic axis in bookmark **Axes**.
Default values are taken from values for dynamic graphs.

Modify the graph configuration

To modify the graph configuration, press the button  in the window **Objects**.

In dialog box we modify the graph configuration:

D.Test - (Graph)

D.Test

Revert
Save

Parameters
Objects
Axes
Logic Groups

Description

Color Palette

Graph Type

Timeseries Graph
Live Data
XY Graph

Timeseries Axis

Length: 000 00:05:00
Alignment: 000 00:01:00
Without Spaces: ☐

Objects

Together
Y-Axis Levels
Object Levels

☐ Add/Subtract Also Hidden Graph Flows
☒ Draw by Archive Period

Y-Axes

☐ Ignore out-of-view Values for Dynamic Y-axis
☒ Show Description

Show

☒ Controls Panel
☒ Raster
☐ Pointer

Help

Export Subdirectory

Table

View on Open

Visible (automatic)

Visible Rows (max)

0

1. column

Weighted Average

4. column

None

2. column

Maximum

5. column

None

3. column

Auto Last Value

6. column

None

☐ Custom Colors

Graph Window:

Graph Area:

Time Axis:

Significant time:

1.1

12:00

The graph configuration dialog box contains four tabs:

- Parameters** – basic settings of the graph – description, color palette, graph type, time settings and hiding/displaying of each graph parts after opening the graph on [HI desktop](#).
- Objects** – configuration of each object displayed in the graph window. The tab allows to select either objects that get values in the system (eval tags, I/O Tags, user variables, etc.), or archive objects (objects of the Historical value type) values of which will be displayed in the graph window.
- Axes** – configuration of axes used in the graph.
- Groups** - assignment of the graph to logical groups.

Click on the tab of corresponding page to switch to the required page.

The top part of the configuration dialog box contains the following buttons:

Save	Saves the graph configuration.
Revert	Reverts changes.
	Uses the configuration of another object (graph) as a template.
	<div> Open Ctrl+Enter </div> <hr/> <div> Create Copy Ctrl+D </div> <hr/> <div> Copy Name Ctrl+B </div> <div>Close window after save</div>

Related pages:

[Graphs](#)