

# DB\_REFRESH\_TABLE

## DB\_REFRESH\_TABLE action

### Function

The action forces refreshing of the displayed data for user's views in the [D2000 HI](#) process (e.g. displayer of [Browser](#) type).

### Declaration

```
DB_REFRESH_TABLE dbObjIdent[, retCodeIdent_Int] [ON procIdent]
DB_REFRESH_TABLE dbObjIdent TRANS transHandle [ON procIdent]
```

### Parameters

dbObjIdent	in	<a href="#">Reference to an object of Database table type.</a>
retCodeIdent_Int	out	<a href="#">Identifier</a> - return code (optional parameter).
transHandle	in	<a href="#">Identifier</a> of a connection to a database obtained by calling the <a href="#">DB_TRANS_OPEN</a> action.
procIdent	in	<a href="#">Identifier</a> of <a href="#">D2000 HI</a> process.

### Return code

The value of the parameter *transHandle\_Int*. See the table of [error codes](#). It is possible to get [extended error information](#).

### Description

The action should be used, if data in table are being changed and it is necessary to display them for user's views (displayer of [Browser](#) type).

If *retCodeIdent\_Int* is not given, the action makes a difference as a request to refresh data without waiting for a result (or termination of the refresh).

If this parameter (return code) is entered, the action will be terminated as soon as all [Browser](#) devices are terminated (*procIdent* must be set) in all opened processes [D2000 HI](#).

If *procIdent* parameter is specified, only a defined [D2000 HI](#) process will be refreshed, if not, all opened [D2000 HI](#) processes will be refreshed.

If *transHandle* parameter is specified, this action only schedules a data refresh. The refresh is performed only when the *transHandle* transaction is committed with the [DB\\_TRANS\\_COMMIT](#) action. If the database operation is canceled (action [DB\\_TRANS\\_ROLLBACK](#)), data refresh will not be performed. Note: The *transHandle* transaction can also be opened against another object of the [Database](#) type (other than the [Database](#), which is the parent of the table whose data is in the display), but it is necessary that this object of the [Database](#) type has the same parent (the DBManager process) as the [Database](#), which is the parent of the table whose data is in the display.

### Note

If data in a table was modified by actions [DB\(S\)\\_INSERT](#), [DB\(S\)\\_UPDATE](#), [DB\(S\)\\_INSUPD](#), [DB\(S\)\\_DELETE](#), [PG\\_INSERT](#), [PG\\_UPDATE](#), [PG\\_DELETE](#) (in non-transactional mode), by action [DB\\_TRANS\\_COMMIT](#) (which commits at least one of previously mentioned actions) or directly by editing in [Browser](#), then the [D2000 DBManager](#) process automatically refreshes this table's data in all [Browsers](#), that have opened this table. Therefore it's not necessary to call [DB\\_REFRESH\\_TABLE](#). Action [DB\\_REFRESH\\_TABLE](#) should be called to refresh data only if the data in a table was modified by means different from above specified actions (e.g. by calling stored procedure, by action [SQL\\_EXEC\\_DIRECT](#), etc.).

### Related topics

[DB\\_TRANS\\_COMMIT](#)

[DB\\_DELETE](#)  
[DB\\_INSERT](#)  
[DB\\_INSUPD](#)  
[DB\\_UPDATE](#)

[PG\\_INSERT](#)  
[PG\\_DELETE](#)  
[PG\\_UPDATE](#)

[All database related actions](#)



Related pages:

[Script actions](#)