

SQL_FETCH

SQL_FETCH action

Function

The action reads one or more lines of the result of an SQL command prepared by the [SQL_PREPARE](#) action and optionally [parameterized](#) by the [SQL_BINDIN](#) action.

Declaration

```
SQL_FETCH
```

```
handleIdent_int, retCodeIdent_int [, maxRowsIdent_int]
```

Parameters

handleIdent_int	in	Identifier - the unique number (handle) of a connection.
retCodeIdent_int	out	Return code identifier.
maxRowsIdent_int	in	Identifier of the Int type - number of rows read at once (if not specified, the default value is 1).

Return code

The value of the parameter *transHandle_int*. See the table of [error codes](#). It is possible to get [extended error information](#).

Description

The action reads given number of rows and assigns their values to the local variables specified by the [SQL_PREPARE](#) action.

MaxRowsIdent_int is to be used only for the 3rd declaration type of the action [SQL_PREPARE](#). If the value of the parameter is other than 1 for the [declaration types 1, 2](#), or less than 1, the action generates the error [_ERR_RANGE_ERROR](#).

The maximum number of returned rows is limited by a Database configuration parameter [Maximum returned rows](#). If the number of available rows exceeds this limit, the local structure *_locVarRecordIdent* specified as the parameter of action [SQL_PREPARE](#) will contain first [Maximum returned rows](#) and *retCodeIdent_int* will be set to error code [_ERR_DATABASE_ROWS_LIMIT](#).

If no row has been read, the value of the parameter *retCodeIdent_int* is 22 ([_ERR_NO_DATA](#)).

Example

[Work with a database \(actions SQL_ ...\)](#).

```
INT _handle      ; handle to database
INT _retCode     ; return code
TEXT _name       ; product name
TEXT _type       ; product type

SQL_CONNECT MyDatabase, _handle, _retCode
SQL_PREPARE _handle, _retCode, _sqlNpar BIND _name, _type

DO_LOOP
    SQL_FETCH _handle, _retCode
    EXIT_LOOP _retCode # _ERR_NO_ERROR
    ; data processing goes here
END_LOOP

SQL_FREE _handle
SQL_DISCONNECT _handle
```

Related topics

[DB_TRANS_OPEN](#)
[DB_TRANS_COMMIT](#)
[DB_TRANS_ROLLBACK](#)
[DB_TRANS_CLOSE](#)

[SQL_CONNECT](#)
[SQL_DISCONNECT](#)
[SQL_EXEC_DIRECT](#)
[SQL_EXEC_PROC](#)

[SQL_PREPARE](#)
[SQL_BINDIN](#)
[SQL_FREE](#)

SQL_SELECT

All database related actions.



Related pages:

[Script actions](#)