

OnUserInput

OnUserInput picture event

Declaration	<div>Global handler:</div> <div><pre>ENTRY OnUserInput(IN INT _refId) ; script actions END OnUserInput</pre></div>				
	<div>Special handler:</div> <div><pre>ENTRY XXX_OnUserInput ; script actions END XXX_OnUserInput</pre></div>				
Parameters	<table><tr><td>_refId</td><td>Parameter of INT type (required for global handler).</td></tr><tr><td>XXX</td><td>Name of Reference variable connected to graphic object (without the character "_").</td></tr></table>	_refId	Parameter of INT type (required for global handler).	XXX	Name of Reference variable connected to graphic object (without the character "_").
_refId	Parameter of INT type (required for global handler).				
XXX	Name of Reference variable connected to graphic object (without the character "_").				
Description	<p>The picture event is being generated after closing the control window opened by clicking any graphic object or Windows control of Push button type.</p> <p>If a graphic object not connected with given reference variable closes a control window, it will activate the global handler of the picture event OnUserInput and the value of the parameter _refId will be 0.</p>				
Example	<div>Special picture event handler:</div> <div><pre>; picture event handler: Closing the control window of the graphic object</pre></div> <div><pre>; with reference variable _entry assigned</pre></div> <div><pre>ENTRY entry_OnUserInput ...</pre></div> <div><pre>END entry_OnUserInput</pre></div> <div>Global picture event handler:</div> <div><pre>; picture events handler: Closing the control window of a graphic object ; with no defined special handler of the picture event</pre></div> <div><pre>ENTRY OnUserInput(IN INT _refId)</pre></div> <div><pre>; _refId - value of reference local variable assigned to graphic object IF _refId = _entry THEN ; test that determines above which graphic object</pre></div> <div><pre>; the control window was closed</pre></div>				

```
...
```

```
ELSIF _refId = 0 THEN
```

```
; there were closed the control window of graphic object with
```

```
; no defined reference variable
```

```
ENDIF  
END OnUserInput
```

Note

If both the handlers are defined in picture script, the global handler will never be called for `_refId=_entry`, because a special handler is already defined.

**Related pages:**

[Picture event handler](#)
[Picture events](#)