

# OnUserInput

## OnUserInput picture event

Declaration	Global handler:				
	<pre>ENTRY OnUserInput(IN INT _refId) ; script actions END OnUserInput</pre>				
	Special handler:				
	<pre>ENTRY XXX_OnUserInput ; script actions END XXX_OnUserInput</pre>				
Parameters	<table><tr><td>_refId</td><td>Parameter of the <b>INT</b> type (required for global handler).</td></tr><tr><td><b>XXX</b></td><td>Name of Reference variable connected to graphic object (without the character "_").</td></tr></table>	_refId	Parameter of the <b>INT</b> type (required for global handler).	<b>XXX</b>	Name of Reference variable connected to graphic object (without the character "_").
_refId	Parameter of the <b>INT</b> type (required for global handler).				
<b>XXX</b>	Name of Reference variable connected to graphic object (without the character "_").				
Description	<p>The picture event is being generated after closing the control window opened by clicking any graphic object or Windows control of the <a href="#">Push button</a> type.</p> <p>If a graphic object not connected with given reference variable closes a control window, it will activate the global handler of the picture event <b>OnUserInput</b> and the value of the parameter <b>_refId</b> will be <b>0</b>.</p>				
Example	<p>Special picture event handler:</p> <pre>; picture event handler: Closing the control window of the graphic object</pre> <pre>; with reference variable _entry assigned</pre> <pre>ENTRY entry_OnUserInput ...</pre> <pre>END entry_OnUserInput</pre> <p>Global picture event handler:</p> <pre>; picture events handler: Closing the control window of a graphic object ; with no defined special handler of the picture event</pre> <pre>ENTRY OnUserInput(IN INT _refId)</pre> <pre>; _refId - value of reference local variable assigned to graphic object IF _refId = _entry THEN ; test that determines above which graphic object</pre> <pre>; the control window was closed</pre> <pre>...</pre>				

```
ELSIF _refId = 0 THEN
```

```
; there were closed the control window of graphic object with
```

```
; no defined reference variable
```

```
ENDIF  
END OnUserInput
```

**Note**

If both handlers are defined in picture script, the global handler will never be called for \_refId=\_entry, because a special handler is already defined.

**Related pages:**

[Picture event handler](#)  
[Picture events](#)