

# OnDrop

## OnDrop event

### Declaration

```
ENTRY OnDrop(IN INT _refId)
; actions
END OnDrop
```

### Parameters

_refId	<a href="#">Reference variable of target object.</a>
--------	--

### Description

Picture event is generated when a user moves data to the given target graphic object. Within event handling, there is necessary to get a required data and following them to modify the content of graphic object. First, there must be detected what type of data format was transferred by [%IsDragData](#) function and following it to get data in the appropriate format through these functions:

- [%GetDragDataText](#)
- [%GetDragDataFileList](#)
- [%GetDragDataIPS](#)

To define a position for placing the new data in a target object, use these functions:

- [%HI\\_TVQueryDnDItem](#) – finding out the current position of data in [Browser](#) displayer
- [%HI\\_LVQueryDnDItem](#) – finding out the current position of data in [Tree view](#)

Based on these data, it is necessary to modify the target graphic object to reflect the executed [Drop](#) operation.

### Example

```
ENTRY OnDrop (IN INT _refID)
IF %IsDragData(0, _CF_TEXT) THEN
TEXT _dndText
; getting a text
_dndText := %GetDragDataText(0)

; finding out a position in the tree
_tmp := %HI_TVQueryDnDItem(_refId,_node1,_node2)

; setting a new item in the tree
CALL AddTreeItem(_refId, _dndText, _node1, _node2)
ENDIF
END OnDrop
```



#### Related pages:

[ENTRY - picture event handler](#)  
[Active picture events](#)