

HI_SetDynamicSearching

%HI_SetDynamicSearching, %HI_GetDynamicSearching functions

Function

Function **%HI_SetDynamicSearching** sets a dynamic searching in the Windows control [List box](#) type.

Function **%HI_GetDynamicSearching** returns an integer value which informs about setting of dynamic searching in Windows control [List box](#).

Declaration

```
%HI_SetDynamicSearching(  
    INT in refId,  
    INT in param  
)  
  
INT%HI_GetDynamicSearching(  
    INT in refId  
)
```

Parameters

refId	Reference to a graphic object (reference variable).
param	Parameter that can acquire these values: 0 - disables dynamic searching 1 - enables dynamic searching 2 - enables dynamic searching with restriction of contents

Description

After the dynamic searching is enabled by **%HI_SetDynamicSearching**, the first item which is identical to entered signs is selected in the list.

If the [dynamic searching](#) with restriction of contents is enabled, the different items become temporarily invisible. The function is applicable only for Windows control [List box](#).

WARNING: When calling the function **%HI_SetDynamicSearching**, the items from the list disappear.

Return value

0 - disables dynamic searching
1 - enables dynamic searching
2 - enables dynamic searching with restriction of contents

Example

```
ENTRY buttonWithoutDynSearchgin_OnClick  
%HI_SetDynamicSearching(_tList, 0)  
END tWithoutB_OnClick  
  
ENTRY buttonWithDynSearching_OnClick  
%HI_SetDynamicSearching(_tList, 1)  
END tDynamicSearchingB_OnClick  
  
ENTRY buttonWithDynSearchingRestr_OnClick  
%HI_SetDynamicSearching(_tList, 2)  
END tDynSearchingRestrB_OnClick
```



Related pages:

[Funkcie pre ovládanie grafických objektov](#)
[Argumenty funkcie - typy](#)