

HI_SetColumnsProperties

%HI_SetColumnsProperties, %HI_GetColumnsProperties functions

Function

The function **%HI_SetColumnsProperties** sets the parameters to the defined columns in [Browser](#) displayer.

The function **%HI_GetColumnsProperties** returns the settings of column parameters in [Browser](#) displayer.

Declaration

```
%HI_SetColumnsProperties(  
    INT in refId,  
    in recordVal  
)  
  
INT %HI_GetColumnsProperties(  
    INT in refId,  
    out recordVal  
)
```

Parameters

refId	Reference to a displayer (reference variable).
recordVal	Local variable of <i>Record</i> type.

Description

The function sets the parameters for the columns that are filled in **recordVal**. There are these parameters: *Visibility*, *Width*, *Automatic width adjustment* and *Column order* in *Browser* displayer.

The definition of the local variable **RecordVal** must be following:

Column order and type:

INT	Column index	- the column number according to the structure definition
BOOL	Visibility	- enable / disable the column visibility in the browser.
INT	Width	- column width in the browser. Any value.
INT	Type of autosize -2/-1/0	- set the automatic column width in the browser. -2 - column width is adjusted to a text length in both column and header, -1 - column width is adjusted to a text length in column, 0 - the automatic width is disabled.
INT	Column order	- column order of structure in the browser.

Example

```

RECORD (SD.ColumnsProperties) _ColumnsProperties

PROCEDURE SetPropertyies
REDIM _ColumnsProperties[1]
_ColumnsProperties[1]^Col := 1
_ColumnsProperties[1]^Visible_Value := @TRUE
_ColumnsProperties[1]^Width_Value := 79
_ColumnsProperties[1]^Width_Type := 2
_ColumnsProperties[1]^Order_Value := 2
END SetPropertyies

ENTRY Set_OnClick
CALL SetPropertyies
%HI_SetColumnsProperties(_Browser,_ColumnsProperties\HBJ)
END Set_OnClick

ENTRY Get_OnClick
%HI_GetColumnsProperties(_Browser,_ColumnsProperties\HBJ)
END Get_OnClick

BEGIN

END

```



Related pages:

[Graphic object manipulation functions](#)
[Function Arguments - Types](#)