

# WeekOfYear

## %WeekOfYear function

Function	The function returns the serial number of the week of given absolute time.	
Declaration	<pre>INT %WeekOfYear(     TIME in time,     TEXT in timeZone := %GetCurrentTimeZone() )</pre>	
Parameters	time	Function argument.
	timeZone	<p>Name of the time zone used for conversion to local time (e.g. "Europe/London") or definition of fixed offset from UTC using format "<i>(+/-)hh[:mi[:ss]]</i>", where <i>hh</i> defines number of hours, <i>mi</i> defines number of minutes, and <i>ss</i> defines number of seconds. Sign as well as number of hours are mandatory parts of offset definition, number of minutes and seconds are optional and default to 0 (e.g. "+02:30" defines offset of 2 hours and 30 minutes from UTC). Empty text has the same meaning as function <a href="#">%GetCurrentTimeZone</a>.</p> <p>Note: For historical reasons, integer parameter is also accepted. Its interpretation is as follows: 0 - zone "Europe/London", 3600 - zone "Europe/Bratislava", 7200 - zone "Europe/Kiev", 21600 - zone "Asia/Almaty". Usage of integer parameter is deprecated and generates warning into log file!</p>
Note	<p>Possible values range from 1 to 53. For yearly recurrence pattern rules, the first week of the calendar year is the first week that contains at least four days in that calendar year.</p> <p>If the last week of a year and the first week of the next year are the same week, the function returns the same value for both the weeks (the same system as in the calendar).</p>	



Related pages:

- [Implemented functions](#)
- [Function arguments - types](#)