

TimeToStrEx

%TimeToStrEx function

Function

The function converts given absolute time to a text string according to defined mask.

Declaration

```
TEXT %TimeToStrEx(  
    TIME in TimeA,  
    TEXT in mask,  
    TEXT in timeZone := %GetCurrentTimeZone()  
)
```

Parameters

T i m eA	Absolute time.
m a s k	Time format of result string.
ti m e Z o ne	<p>Name of the time zone used for conversion to local time (e.g. "Europe/London") or definition of fixed offset from UTC using format "(+ -)hh[:mi[:ss]]", where <i>hh</i> defines number of hours, <i>mi</i> defines number of minutes, and <i>ss</i> defines number of seconds. Sign as well as number of hours are mandatory parts of offset definition, number of minutes and seconds are optional and default to 0 (e.g. "+02:30" defines offset of 2 hours and 30 minutes from UTC). Empty text has the same meaning as function %GetCurrentTimeZone.</p> <p>Note: For historical reasons, integer parameter is also accepted. Its interpretation is as follows: 0 - zone "Europe/London", 3600 - zone "Europe/Bratislava", 7200 - zone "Europe/Kiev", 21600 - zone "Asia/Almaty". Usage of integer parameter is deprecated and generates warning into log file!</p>

Note

Position of individual time components is given by the occurrence of the following strings in the entered mask.

String	Description
yyyy or rrrr	4-digit year representation
yy or rr	Last two digits of year
mm	Month
dd	Day
hh	Hour
hb, HH	Trading hour - hour in day from 1 to 25.
mi	Minute
ss	Second
mss	Millisecond
tttt	Name of day in week [*] .
ttt	3-character shortcut of the name of day in week [*] .
tt	2-character shortcut of the name of day in week [*] .
ZZZ	UTC offset in hours using format "(+ -)hh".
ZZZZZ	UTC offset in hours and minutes using format "(+ -)hhmi".
ZZZZZZ	UTC offset in hours and minutes using format "(+ -)hh:mi".

The function is conformable with the function [%TimeToStr](#), besides the differences during conversions of ambiguous time - changes of daylight saving and standard time - the function displays the time together with the character A or B according to daylight saving time (A) or standard time (B).

A and B characters are used for the transition hour that depends on the time zone. In time zone GMT+1, the character is used at 2 a.m. of the local time. In time zone GMT+2 it is used at 3 a.m. of the local time, etc. .

Example: A2:10:00 26-10-2003 (for time zone GMT+1)

If format mask contains UTC offset component, then A/B syntax for ambiguous time is not used.

Example

```
%TimeToStrEx(M.TiA_01, "hh:mi:ss.mss dd-mm-rrrr")
```



Related pages:

[Implemented functions](#)

[Function arguments - types](#)