

OnMouseUp

OnMouseUp picture event

Declaration

Global handler:

```
ENTRY OnMouseUp(IN INT _refId, IN INT _btnNr, IN BOOL _shift, IN INT _X,  
IN INT _Y)  
; script actions  
END OnMouseUp
```

Special handler:

```
ENTRY XXX_OnMouseUp(IN INT _btnNr, IN BOOL _shift, IN INT _X, IN INT _Y)
```

```
; script actions  
END XXX_OnMouseUp
```

Parameters

_refId	Parameter of INT type (required for global handler).
XXX	Name of Reference variable connected to graphic object (without the character "_").
_btnNr	Parameter of BOOL type, that determines the pressed mouse button.
_shift	Parameter of BOOL type.
_X	Parameter of INT type.
_Y	Parameter of INT type.

Description

The picture event is being generated after releasing the mouse button (button down) above the picture. The parameter `_shift` determines whether the SHIFT key were pressed along with the mouse button. The parameters `_X` and `_Y` determines position of mouse pointer. The parameter `_btnNr` identifies the pressed mouse button according to the following table:

_btnNr	Mouse button
1	Left
2	Middle
3	Right

The parameter `_refId` is used for graphic objects with defined Reference variable other than 0. So it is possible to use the special event handler. For the graphic object with no defined Reference variable, it is required to use the global event handler and the parameter `_refId` will be 0. Also when the user press the mouse button above the picture (not above graphic object).

Note:

If some item was selected by mouse (e.g. item of tree), this selection performs before the entry calling.

Example

Special picture event handler:

```
ENTRY TV_OnMouseUp(IN INT _btnNr, IN BOOL _bShift, IN INT _xPos, IN  
INT _yPos)  
END TV_OnMouseUp
```

Global picture event handler:

```
ENTRY OnMouseUp(IN INT _refId, IN INT _btnNr, IN BOOL _bShift, IN INT  
_xPos, IN INT _yPos)  
END OnMouseUp
```



Related pages:

- [Picture event handler](#)
- [Picture events](#)