

# HI\_GetVisible

## %HI\_GetVisible, %HI\_SetVisible functions

|                 |                                                                                                                                                                                                                                         |              |                                                                     |                 |                                                                       |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------|
| Function        | <p>The function <b>%HI_SetVisible</b> allows to hide/show the graphic object (<a href="#">Control function</a>).</p> <p>The function <b>%HI_GetVisible</b> detects whether the graphic object is visible.</p>                           |              |                                                                     |                 |                                                                       |
| Declaration     | <pre>%HI_SetVisible(<br/>    INT in refId,<br/>    BOOL in bVisible<br/>)<br/><br/>BOOL %HI_GetVisible(<br/>    INT in refId<br/>)</pre>                                                                                                |              |                                                                     |                 |                                                                       |
| Parameters      | <table><tr><td><b>refId</b></td><td>Reference to graphic object (<a href="#">reference variable</a>).</td></tr><tr><td><b>bVisible</b></td><td>@TRUE - show the graphic object.<br/>@FALSE - hide the graphic object.</td></tr></table> | <b>refId</b> | Reference to graphic object ( <a href="#">reference variable</a> ). | <b>bVisible</b> | @TRUE - show the graphic object.<br>@FALSE - hide the graphic object. |
| <b>refId</b>    | Reference to graphic object ( <a href="#">reference variable</a> ).                                                                                                                                                                     |              |                                                                     |                 |                                                                       |
| <b>bVisible</b> | @TRUE - show the graphic object.<br>@FALSE - hide the graphic object.                                                                                                                                                                   |              |                                                                     |                 |                                                                       |
| Description     | The function also allows to show / hide a tab of Windows control of <a href="#">Tab control</a> type - the parameter <i>refId</i> determines the reference variable name of the tab.                                                    |              |                                                                     |                 |                                                                       |
| Note 1          | This function is available also in <a href="#">%HIX_ version</a> .                                                                                                                                                                      |              |                                                                     |                 |                                                                       |



Related pages:

- [Graphic object manipulation functions](#)
- [Function arguments - types](#)