

# HI\_EditItem

## %HI\_EditItem function

Function	The function <b>%HI_EditItem</b> switches the specified item of the displayer of <a href="#">Browser</a> type to the editing mode ( <a href="#">control function</a> ). The editing mode must be enabled in displayer.						
Declaration	<pre>%HI_EditItem(     INT in refId,     INT in row,     INT in col )</pre>						
Parameters	<table><tr><td><b>refId</b></td><td>Reference to graphic object (<a href="#">reference variable</a>).</td></tr><tr><td><b>row</b></td><td>Item row.</td></tr><tr><td><b>col</b></td><td>Item column.</td></tr></table>	<b>refId</b>	Reference to graphic object ( <a href="#">reference variable</a> ).	<b>row</b>	Item row.	<b>col</b>	Item column.
<b>refId</b>	Reference to graphic object ( <a href="#">reference variable</a> ).						
<b>row</b>	Item row.						
<b>col</b>	Item column.						
Note	The parameters <i>row</i> and <i>col</i> define the row and the column of the item. Their values can be within the range of 1 ... .						
Example	<pre>; start the editing of the item placed in 3rd row and 2nd column  %HI_EditItem(_refId, 3, 2)</pre>						
Note	If the defined row is not on the current page, or the column is hidden, the function has no effect.						



**Related pages:**

- [Graphic object manipulation functions](#)
- [Function arguments - types](#)