

HI_TVQueryDnDItem

%HI_TVQueryDnDItem function

Function

Declaration

Parameters

Description

Return value

Example

Function %HI_TVQueryDnDItem returns the tree items which define a position of possible new item in the tree during Drop operation.

```
%HI_TVQueryDnDItem(  
    INT in refId,  
    OUT in hNode1,  
    OUT in hNode2  
)
```

refId	Identifier of tree view.
hNode1	Item in the tree.
hNode2	Item in the tree.

Function returns the tree items which define a position where a drop operation has been performed.

A result for the new item is defined as follows:

hNode1	hNode2	
invalid	invalid	Dropping out of tree items.
invalid	valid	Dropping above hNode2.
valid	invalid	Dropping under hNode1.
valid	valid	If hNode1 = hNode2, the new item is dropped directly onto the existing item. If hNode1 < hNode2, the new item is dropped between the items hNode1 and hNode2, whereby hNode1 and hNode2 are placed always on the same level of the tree.

BOOL – if it is @TRUE, the function got the position for Drag&Drop, otherwise the values of "out" parameters are undefined.

These files contain an example of using Drag and Drop in the graphic object of Tree view type. After importing these files into the system, the picture DnD_example is added. It enables the drag and drop operations of text and files over the graphic object of Tree view type.

[S.DnD_example.xml](#)
[SD.FileList.xml](#)



Related pages:

[Graphic object manipulation functions](#)
[Function arguments - types](#)