

# HI\_SetBrowserFormatMask

## %HI\_SetBrowserFormatMask, %HI\_GetBrowserFormatMask functions

**Function** The function **%HI\_SetBrowserFormatMask** sets a [format mask](#) to the cell of [Browser](#) displayer. The function supports the basic mask syntax. From the extended syntax, it supports only {V}, {T} a {Tmask}.

The function **%HI\_GetBrowserFormatMask** gets back a [format mask](#) that was set to the cell of [Browser](#) displayer.

**Declaration**

```
%HI_SetBrowserFormatMask(  
    INT in refId,  
    INT in row,  
    INT in col,  
    TEXT in formatMask  
)  
  
TEXT %HI_GetBrowserFormatMask(  
    INT in refId,  
    INT in row,  
    INT in col  
)
```

**Parameters**


<b>refId</b>	Reference to displayer ( <a href="#">reference variable</a> ).
<b>row</b>	Row of the cell (from 1 up-to ...).
<b>col</b>	Column of the cell (from 1 up-to...).
<b>formatMask</b>	Value of <a href="#">Format mask</a> .

**Notes** If the parameter *row* = 0, format mask will be set for the whole column *col*.  
If the parameter *col* = 0, format mask will be set for the whole row *row*.  
If both *row* and *col* = 0, format mask will be set for the whole displayer.

**Example**

```
; setting of format mask for the whole displayer  
%HI_SetBrowserFormatMask(_browser, 0, 0, "{V}")  
  
; setting of format mask for the column of No. 3  
%HI_SetBrowserFormatMask(_browser, 0, 3, "{V}")  
  
; setting of format mask for the cell [2,3]  
%HI_SetBrowserFormatMask(_browser, 2, 3, "{V}")
```

**Note 2** This function is available also in [%HIX\\_ version](#).

 **Related pages:**

[Graphic object manipulation functions](#)  
[Function arguments - types](#)