Representation of Data from the Log Database (Work with D2000 HI)

Representation of data from the log database

Clicking on the **OK** button in the dialog box System Logging - Settings opens the following window displaying data from the log database according to defined parameters.



	Table columns configuration.
	System logging - settings.
	Save the table data to a file. After clicking the icon, the menu will appear allowing to save data to a text file, CSV file or to the clipboard. It is also possible to save either all data of the table (**All data** item) or only selected data (lines).
	Go to the beginning of the table (the first table page).
	Go to the previous page of the table.
1/6 (101)	Information about the displayed table - **current table page / total number of pages (number of table lines)**.
	Go to the next page of the table.
	Go to the end of the table (to the last page of table).
	Blocks the mask and shows the filter for selection. Text entered into mask will not be deleted.
	Deletes the text in filter. Button is active if text is written in the filter.
Mask	Selection mask to display data in the table - it is applied to the columns **Name** (in the format *..* AND/OR *..*) and/or **Description** (in the format * AND /OR *..*). For more information see the topic Defining a mask.

Graphic symbols of event types. Pointing the mouse cursor at a particular symbol displays the name of the event type that the symbol represents.

Here are described the columns of table (list).

Column	Meaning
Name	D2000 System object name concerning the given event + the graphic symbol showing a group of logged events.
Description	Description of the event.
Event rising time	Date and time of the event rise. If **msec** option is enabled then the column displays time data with milliseconds accuracy.
User	Name of operator logged in the system when the event occurred (for processes - this column shows „Connect“ or „Disconnect“). • **Connect** - the process is connected to the process Server • **Disconnect** - the process is disconnected from the process Server
Old value	Value of object before the event arose.
Incident	Cause of the logged event. In case of event type *LOG* New value *Logon* - the logon of user contains: • process name, through which the user has logged on - required, • list of present hardware keys, providing that they are detected, • IP address of client, providing that the connection was done through the Windows Terminal Services (Remote Desktop) or Citrix MetaFrame. Example: NB1.CNF[480,R][917]WTS:172.16.1.134 The user has logged on to NB1.CNF via Remote Desktop from the workstation with IP=172.16.1.134. The workstation had the HW key with the unique identifier = 480. The server, where the process run physically, had the HW key with the unique identifier = 917.
Priority	Priority (significance) indicates the event importance. The system supports five priority levels (in order from the lowest priority to the highest one): • **Information** • **Warning** • **Alarm** • **Critical alarm** • **Error**
Log type	Type of the logged event: • **ALR** - Alarms • **SYS** - System • **PRC** - Processes • **KOM** - Kom • **OPR** - Operator's interventions • **EVT** - Events • **LOG** - Logon / Logoff • **MAN** - Manual intervention • **CHV** - Spontaneous value change • **TIM** - Time logger

A double-click on a line in the table (list) will open the information window, containing well arranged information about the particular line from the table. This presentation is suitable in case that the particular line contains too much information that cannot be completely displayed in a single line. The window contains the buttons to move in the table (list).

In the list there is possibility to sort data according to column **Event rising time**. New values are added on the last page for upward sorting and for downward sorting on the first page of the list.

Note

- In case that displayed time interval is floating, table is horizontally divided into two parts. The lower part comprises the last five events. This feature is applicable for the **Last hour**, **Last 8 hours**, **Last 12 hours** and **Last 24 hours** radio buttons in the System Logging - Settings dialog box. The table is not divided only in case of defined time interval- the **Exactly** radio button.

Filter usage

Click on button activates the filter and the mask is blocked whereas the text, written in mask, is not deleted.

The condition defining the relation between columns **Name** and **Description** displays instead of mask.

- AND - the condition from both columns

- OR - the condition from the column **Name** or **Description**, eventually from both one



Filter works similarly like mask, i.e. text can be written into field.
The columns **Priority** and **Log type** are an exception. Text cannot be written into filter of these columns but items are chosen from dropt-down list after pushing the button placed close to text field .



In column **Log type** user can choose more items.



If the priority or log type is entered incorrectly, following window with message appears:



The changes in filter will be shown also in dialog box System Logging - Settings.

Text from filter is deleted after clicking on button . The button is active only if filter contains some text.

Related pages:

System event logging
Configuration of the table displaying data from the log database
Logged data export