

Configuration (HI/Configuration in HI Process /Configuration of Compositions, Graphs and Reports /Graphs)

Configuration of graphs


Graphs are being defined in the process [D2000 HI](#). To configure them, select the **Graphs** item from **Configuration** menu and then select particular action (see the topic: [Configuration of composition, graphs and reports](#)).

Except generally described actions (opening, deleting, assigning to logical groups), you can carry out the following action with graphs:

- [Create a new graph](#)
- [Modify the graph configuration](#)

Create a new graph

To create a new graph, enter a name in the **New object** dialog box.



The system may automatically extend a graph name with an extension and prefix that are defined in this D2000 system application.

The dialog box for editing the graph settings will be opened after entering a name. Procedure is the same as during graph configuration.

When the new graph is created the point, without object of D2000 system, is predefined in bookmark **Objects** and analogue, full dynamic axis in bookmark **Axes**.

Default values are taken from values for dynamic graphs.

Modify the graph configuration

Modifying the graph configuration is performed in the following dialog box:

Graph configuration - D.Sek

Basic | Objects | Axes | Colors | Groups

General settings

Description:

Help:

Time parameters:

Length:

Time Shift:

Alignment:

Table columns:

1. Auto Minimum 4.

2. Auto Maximum 5.

3. Auto Last Value 6.

Graph Type:

☒ Live data ☐ XY graph

Max.lines in table:

View on open:

☐ Controls As Popup ☒ Descr. of Y-axis ☐ Axis levels ☐ Object levels

☐ Graph table ☒ Grid ☐ Without spaces ☐ Pointer

Export subdir

The graph configuration dialog box contains five tabs:

- **Basic** – basic settings of the graph – description, time settings and displaying of each graph parts after opening the graph on HI desktop.
- **Objects** – configuration of each object displayed in the graph window. The tab allows to select either objects that get values in the system (eval tags, I/O Tags, user variables, etc.), or archive objects (objects of the Historical value type) values of which will be displayed in the graph window.
- **Axes** – configuration of axes used in the graph.
- **Colors** – redefinition of global color settings for each part of the graph window.
- **Groups** - assignment of the graph to logical groups.

Click on the tab of corresponding page to switch to the required page.

The bottom part of the configuration dialog box contains the following buttons:

Save	Saves the graph configuration.
Save as	Saves the graph configuration as new graph.
Template	Uses the configuration of another object (graph) as a template.
TC	Opens the dialog window that lists the unsupported features in the thin client.
Cancel	Closes the dialog box.

Related pages:

[Graphs](#)