

NextMonth

%NextMonth function

Old name	%NextMonthT						
Function	The function returns the begin time of next month that is moved by an offset given by the parameter <code>Offset</code> . Values of the parameter <code>Offset</code> may be negative, too. Result is a value of Absolute time type.						
Declaration	<pre>TIME %NextMonth(INT in Offset, UNIVAL in CalcTrigger, INT in timeZone := %GetTimeZone())</pre>						
Parameters	<table><tr><td>offset</td><td>Offset [s].</td></tr><tr><td>CalcTrigger</td><td>Object - a change of its value causes the function to be recalculated. Its type is optional.</td></tr><tr><td>timeZone</td><td>Forced time zone to convert to a local time. It is set as a time zone offset from UTC during winter in seconds.</td></tr></table>	offset	Offset [s].	CalcTrigger	Object - a change of its value causes the function to be recalculated. Its type is optional.	timeZone	Forced time zone to convert to a local time. It is set as a time zone offset from UTC during winter in seconds.
offset	Offset [s].						
CalcTrigger	Object - a change of its value causes the function to be recalculated. Its type is optional.						
timeZone	Forced time zone to convert to a local time. It is set as a time zone offset from UTC during winter in seconds.						

 Related pages:

[Implemented functions](#)
[Function arguments - types](#)