

HI_Menu_Create

%HI_Menu_Create function

Function	Function %HI_Menu_Create creates menu from script.						
Declaration	<pre>%HI_Menu_Create(INT in _ID, INT in _menuPos, BOOL in _bPersistent)</pre>						
Parameters	<table><tr><td>_ID</td><td>Within the scheme - a unique identifier of menu. If menu with the same _ID exists, it is deleted.</td></tr><tr><td>_menuPos</td><td>Consecutive number (starts with 1,...) for the menu to class. If the menu is already defined in the existing consecutive place, new menu will appear next to it (menu which has been already defined is not deleted).</td></tr><tr><td>_bPersistent</td><td>If there is:<ul style="list-style-type: none">• @TRUE - after closing the scheme, menu remains.• @FALSE - after closing the scheme, menu is deleted automatically.</td></tr></table>	_ID	Within the scheme - a unique identifier of menu. If menu with the same _ID exists, it is deleted.	_menuPos	Consecutive number (starts with 1,...) for the menu to class. If the menu is already defined in the existing consecutive place, new menu will appear next to it (menu which has been already defined is not deleted).	_bPersistent	If there is: <ul style="list-style-type: none">• @TRUE - after closing the scheme, menu remains.• @FALSE - after closing the scheme, menu is deleted automatically.
_ID	Within the scheme - a unique identifier of menu. If menu with the same _ID exists, it is deleted.						
_menuPos	Consecutive number (starts with 1,...) for the menu to class. If the menu is already defined in the existing consecutive place, new menu will appear next to it (menu which has been already defined is not deleted).						
_bPersistent	If there is: <ul style="list-style-type: none">• @TRUE - after closing the scheme, menu remains.• @FALSE - after closing the scheme, menu is deleted automatically.						
Description	Function creates menu from script.						



Related pages:

- [Active picture manipulation functions](#)
- [Picture local variables](#)
- [Function arguments - types](#)