OnFetchDone

OnFetchDone picture event

Declaration

Global handler is not defined. Special handler:

ENTRY XXX_OnFetchDone(RECORD (Structure definition) _rec, IN BOOL _bAfter)
; script actions
END XXX_OnFetchDone

Parameters

| XXX | Name of Reference variable connected to displayer of Browser type. |
|---------|--|
| _rec | Loaded page from the table. |
| _bAfter | Input parameter. |

Description

The picture event is being generated after fetching the data (page) into the displayer Browser type before the data are displayed (the parameter _bAfter=@FALSE). The parameter _rec contains the page loaded from the database. Within the picture event handler, it is possible to modify a value in the structure _rec. After termination of the picture event processing, the value of the structure _rec will be displayed in the Browser. After displaying, the picture event is again generated (_bAfter=@TRUE), but without possibility to change displayed data. When you handle the picture event, you can set currently selected line, appearance, ...

The type of *Structure definition* must be equal to the type of the structure used by corresponding object of *Database Table* type, that is displayed in the Browser.

Example

Special picture event handle:

; picture event handler: Fetching the tab into Browser

; with reference variable _browser assigned

ENTRY browser_OnFetchDone(RECORD (SD.DbStruct) _rec, IN BOOL _bAfter)
...

END browser_OnFetchDone



Related pages:

Picture event handler Picture events