

# HI\_SetBrowserItemImage, HI\_GetBrowserItemImage functions

|                 |   |
|-----------------|---|
| <b>Function</b> | The function <b>%HI_SetBrowserItemImage</b> sets a bitmap to display for cell of <b>Browser</b> displayer. The bitmap is characterized by object of <b>Bitmap</b> type ( <a href="#">control function</a> ).<br><br>The function <b>%HI_GetBrowserItemImage</b> gets back the identifier of bitmap (HOBJ) for the cell of <b>Browser</b> displayer. |
|-----------------|---|

**Declaration**

```
%HI_SetBrowserItemImage(
    INT in refId,
    INT in row,
    INT in col,
    HBJ in refToBitmap
)

HBJ %HI_GetBrowserItemImage(
    INT in refId,
    INT in row,
    INT in col
)
```

|                    |  |
|--------------------|--|
| <b>Parameters</b>  |  |
| <b>refId</b>       | Reference to displayer ( <a href="#">reference variable</a> ). |
| <b>row</b>         | Row of the cell (from 1 to ...).                               |
| <b>col</b>         | Column of the cell (from 1 to ...).                            |
| <b>refToBitmap</b> | Reference to object of <b>Bitmap</b> type.                     |

**Note**  
If the parameter *row* = 0, the bitmap will be set/get for whole column *col*.  
If the parameter *col* = 0, the bitmap will be set/get for whole row *row*.  
If both *row* and *col* = 0, the bitmap will be set/get for whole displayer.

**Note 2**  
To use this function it is necessary to enable the bitmap display (parameter **Enable icons**) in **Browser** displayer.

**Example**

```
; setting of the bitmap for whole displayer
%HI_SetBrowserItemImage(_browser, 0, 0, PIC.BMP\HBJ)

; setting of the bitmap for column No. 3
%HI_SetBrowserItemImage(_browser, 0, 3, PIC.BMP\HBJ)

; setting of the bitmap for cell [2,3]
%HI_SetBrowserItemImage(_browser, 2, 3, PIC.BMP\HBJ)
```

## Related pages:

[Graphic object manipulation functions](#)  
[Function arguments - types](#)