

# HI\_SetGraphXY\_Data

## %HI\_SetGraphXY\_Data function

### Function

The function allows to set coordinates (x, y) of graphic flow' individual values in defined displayer of **XY Graph** type ([Control function](#)).

### Declaration

```
%HI_SetGraphXY_Data(  
    INT in refId,  
    INT in index,  
    HBJ in xyData,  
)
```

### Parameters

<b>ref Id</b>	Reference to displayer of <b>XY Graph</b> type ( <a href="#">reference variable</a> ).
<b>in dex</b>	Serial number of graphic flow.
<b>xy Da ta</b>	<a href="#">Local variable</a> of <b>STRUCT</b> type (structured one), that contains values of the graphic flow (min. 2 column). The first column contains x-coordinates and the second column contains y-coordinates.

### Example

```

ENTRY SendData_OnClick
RECORD ( SD.XYData ) _xy

REDIM _xy[12]

_xy[1]^X := 1.0
_xy[1]^Y := 1.0

_xy[2]^X := 1.5
_xy[2]^Y := 1.2

_xy[3]^X := 2.1
_xy[3]^Y := 0.8

_xy[4]^X := 2.5
_xy[4]^Y := 4.5

_xy[5]^X := 5.0
_xy[5]^Y := 1.0

_xy[6]^X := 4.0
_xy[6]^Y := 5.0

_xy[7]^X := 3.0
_xy[7]^Y := 1.0

_xy[8]^X := 6.0
_xy[8]^Y := 3.0

_xy[9]^X := "xx"
_xy[9]^Y := 1.0

_xy[10]^X := 8.0
_xy[10]^Y := 2.0

_xy[11]^X := 10.0
_xy[11]^Y := 5.0

_xy[12]^X := 11.0
_xy[12]^Y := 2.0

%HI_SetGraphXY_Data(_Graph, 1, _xy\HBJ)
%HI_SetGraphXY_Data(_Graph, 2, _xy\HBJ)

END SendData_OnClick

```



#### Related pages:

- [Graphic object manipulation functions](#)
- [Function arguments - types](#)