

OnAutoCompleteListSelected

OnAutoCompleteListSelected picture event

Declaration

Global handler:

```
ENTRY OnAutoCompleteListSelected(IN INT _refId, IN TEXT _Line, IN INT
_InsertPos, IN TEXT _choice)
; script actions
END OnAutoCompleteListSelected
```

Special handler:

```
ENTRY XXX_OnAutoCompleteListSelected(IN TEXT _Line, IN INT _InsertPos,
IN TEXT _choice)
; script actions
END XXX_OnAutoCompleteListSelected
```

Parameters

_refId	Parameter of INT type (required for global handler).
_Line	String that represents the content of current row on the cursor position.
_InsertPos	Position of the first letter of the first word.
_choice	Current position of cursor (position of the last letter in front of cursor + 1).
XXX	Name of Reference variable connected to graphic object (without the character "_").

Description

This picture event is generated when entering selected text from [AutoComplete List](#) in the windows control *Entry field*.

Example

Special picture event handler:

```
; picture event handler: Change of text in entry field
; with assigned reference variable _EField
```

```
ENTRY EField_OnAutoCompleteListSelected(IN TEXT _Line, IN INT
_InsertPos, IN TEXT _choice)
```

```
; actions
```

```
END
```

Global picture event handler:

```
; picture event handler: Change of text in the entry fields
; without a special handler of the picture event
```

```
ENTRY OnAutoCompleteListSelected(IN INT _refId, IN TEXT _Line, IN INT
_InsertPos, IN TEXT _choice)
```

```
; _refId - value of Reference local variable assigned to the graphic object
IF _refId = _EField THEN ; test that determines the entry field in
which the text was changed
```

```
; actions
```

```
ENDIF  
END
```

Note

If both the handlers are defined in picture script, the global handler will never be called for `_refId=EFIELD`, because a special handler is already defined.

**Related pages:**

[Picture event handler](#)
[Picture events](#)