

Using the Extension

Using the extension

The toolbar *Depositories* are activated by selecting from the list, that is opened after pressing the right mouse button on any opened toolbar.

The toolbar contains only one option - *Import*.



It is necessary to open the sheet to which you want to insert the data from the selected [depository database](#), before clicking the option *Import*.

If Sybase Adaptive Server Anywhere 6, 7 or 9 are used: after pressing the *Import* button, select a *.wrt file, which represents the corresponding [depository database](#).

If Sybase SQL Anywhere 12 is used: after pressing the *Import* button change the *File type* to *Database files (*.db)* and select a *.db file of a [depository database](#).



After the successful opening of the *.wrt or *.db file, the dialog box will be opened. It will be displaying information about

- time range of the stored data in the [depository database](#) (*Depository time range*)
- archive objects, which are in the [depository database](#) and their configuration

It moreover contains the parameters for data import.

Archive object list

Trezor time range :

21.10.1999 14:49:08 - 25.10.1999

NAME	TECH_UNIT	DESCRIPT	VALUE_TYPE	SOURCE_NAME	SOURCE_▲
H.GS_BT1_VzdP	kPa	Bablingová try...	Ai	M.20R53BT1_...	Bablingov
H.GS_BT1_VzdQ	l/min	Bablingová try...	Ai	M.20R53BT1_...	Bablingov
H.GS_BT1_Vzd...	°C	ZH Bablingová ...	Ai	M.20R53BT1_...	ZH Bablin
H.GS_BT1_Vzd...	%	výst. reg. - Ba...	Ai	M.20R53BT1_...	výst. reg
H.GS_BT10_VzdP	kPa	Bablingová try...	Ai	M.20R53BT10...	Bablingov
H.GS_BT10_VzdQ	l/min	Bablingová try...	Ai	M.20R53BT10...	Bablingov
H.GS_BT10_Vzd...	°C	ZH Bablingová ...	Ai	M.20R53BT10...	ZH Bablin
H.GS_BT10_Vzd...	%	výst. reg. - Ba...	Ai	M.20R53BT10...	výst. reg
H.GS_BT11_VzdP	kPa	Bablingová try...	Ai	M.20R53BT11...	Bablingov
H.GS_BT11_VzdQ	l/min	Bablingová try...	Ai	M.20R53BT11...	Bablingov
H.GS_BT11_Vzd...	°C	ZH Bablingová ...	Ai	M.20R53BT11...	ZH Bablin
H.GS_BT11_Vzd...	%	výst. reg. - Ba...	Ai	M.20R53BT11...	výst. reg
H.GS_BT12_VzdP	kPa	Bablingová try...	Ai	M.20R53BT12...	Bablingov
H.GS_BT12_VzdQ	l/min	Bablingová try...	Ai	M.20R53BT12...	Bablingov

Archiving parameters

Archive object :

H.GS_BT1_VzdQ

Archive type :

Primary

Archiving method :

Period

Period :

0:0:30

Offset :

0:0:0

Time

Value

Status

Limits

Flags

Archive flags

Number of displayed columns

6

Import parameters

☒ Import all data

21.10.1999 14:49:08

25.10.1999 00:00:00

☐ Oversample

0

days

00:00:00

Import

Cancel