HI_SetRectRounding

%HI_SetRectRounding function

Funkcia

Function %HI_SetRectRounding sets the rounding of the corners of rectangles, the text in the rectangle with the background and the edges of windows controls.

Deklarácia

```
%HI_SetRectRounding(
INT in _refId,
INT in _rounding1,
[, INT in _rounding2
, INT in _rounding3
, INT in _rounding4]
 )
```

Parametre

_refId	Reference to graphic object (reference variable).
_rounding1	rounded corners upper left
_rounding2	optional corner rounding parameter upper right, if not specified _rounding1 is used
_rounding3	optional corner rounding parameter upper down, if not specified _rounding1 is used
_rounding4	optional corner rounding parameter left down, if not specified _rounding1 is used

Poznámka

Parameters _rounding2,_rounding3,_rounding4 all or none must be entered.

Príklad

```
; corner roundings
%HI_SetRectRounding(_RFID_BOX, 2, 3, 4, 5)
%HI_SetRectRounding(_RFID_BOX, 0, 0, 0, 0)

; shortened
%HI_SetRectRounding(_RFID_BOX, 2) ; set all to 2
%HI_SetRectRounding(_RFID_BOX, 0) ; switch off
```

Related pages:

Graphic object manipulation functions
Function arguments - types