

GETCOLTIME

GETCOLTIME action

Function

The action retrieves the values' times in given column of [structured local variable](#) (i.e. local variable of the *Record* type).

Declaration

```
GETCOLTIME _srcRec^Col, _dstRec^DateTimeCol
```

Parameters

_srcRec	in	Row identifier of local variable of the <i>Record</i> type - source column used to acquire times of individual values.
_dstRec	out	Row identifier of local variable of the <i>Record</i> type - target column used to write the times in.

Description

For each item in the column *DateTimeCol* of the structure *_dstRec*, the action sets a value of the *Absolute time* type, which represents a time of the value occurrence in corresponding row and given column of the structure *_srcRec*. There must be the same number of rows in both the structures.

The action represents a substitution of the following loop:

```
RECORD (SD.Def) _srcRec
RECORD (SD.Def) _dstRec

BEGIN
    REDIM _srcRec[10]
    REDIM _dstRec[10]

    ; Execution of the action GETCOLTIME
    IF _srcRec\DIM # _dstRec\DIM THEN
        ; The error_ERR_RANGE_ERROR
        END
    ENDIF

    INT _row
    _row := 1
    DO_LOOP
        EXIT_LOOP _row > _srcRec\DIM
        _dstRec[_row]^DateTimeCol := _srcRec[_row]^Col\TIM
        _row := _row + 1
    END_LOOP
    ; Action end

END
```

The column *DateTimeCol* used in the example must be of the *Absolute time* type.

Example

The following example executes the loop described above using the **GETCOLTIME** action.

```
GETCOLTIME _srcRec^Col, _dstRec^DateTimeCol
```



Related pages:

[Script actions](#)