OnClick

OnClick picture event

Declaration

Global handler:

```
ENTRY OnClick(IN INT _refId)
; script actions
END OnClick
```

Special handler:

```
ENTRY XXX_OnClick
  ;   script actions
END XXX_OnClick
```

Parameters

_refId	Parameter of **INT** type (required for global handler).
XXX	Name of Reference variable connected to graphic object (without the character "_").

Description

The picture event is being generated by left-clicking the graphic object (for Windows control of Tab control type, the picture event is being generated when switching between tabs. The picture event is also generated when given tab was removed (made invisible) using the function HI_SetVisible (actually, the user selected another tab) - there is generated the picture vent for the first visible tab from the left.

Windows controls of List box and Spin button types do not generate the picture event and therefore the special handler is not allowed for them.

Example

Special picture event handler:

```
; picture event handler: Clicking the graphic object
 ; with reference variable_BtnOK assigned
```

```
ENTRY BtnOK_OnClick
   %HI_ClosePicture() ; closing picture
 END BtnOK_OnClick
```

Global picture event handler:

```
; picture events handler: Clicking on graphic objects
 ; that has no special handler defined
```

```
ENTRY OnClick(IN  INT _refId)
```

```
; _refId - value of reference local variable assigned to graphic object
   IF _refId = _BtnOK THEN ; test, that determines the graphic object
                           ; the user clicked on
     %HI_ClosePicture()    ; closing picture
   ENDIF
 END OnClick
```

Note

If both the handlers are defined in picture script, the global handler will never be called for _refId=_BtnOK, because a special handler is already defined.

Related pages:

[Picture event handler](#)
[Picture event](#)