

HI_EDADebugCalcFunctionRec

%HI_EDADebugCalcFunctionRec function

Function

Function initiates debugging of execution of EDAL formula defined when calling the function.

Declaration

```
INT %HI_EDACalcFunctionRec(
    INT in _refId,
    INT in _vectorType,
    TEXT in _vectorBodyEDAL,
    TIME in _bt,
    TIME in _et,
    RECORD () in _params
    [, UNIVAL in _param1, ..., _paramN])
)
```

Parameters

| | |
|-------------------------|--|
| _refId | Reference to display of EDADebugger type (reference variable). |
| _vectorType | Type of EDA vector. Only values that identify the calculated EDA vector are allowed (described in EDA System documentation – "EDA constants"). |
| _vectorBody EDAL | Value of TEXT type that contains correct EDAL formula. |
| _bt | Beginning of period for loading values. |
| _et | End of period for loading values. |
| _params | Structure of optional parameter of function. |
| _param1,..., _paramN | Optional parameters for calculated vector. |

Description

Function initiates debugging of execution of EDAL formula defined when calling the function. Debugging is done in EDADebugger environment. It is executed in the context of some existent connection (EDA Server – EDA Client), which is selected by previous calling the function [%HI_EDADebugOpen](#). Function does not wait for termination of calculation which was initiated by this function.

Content of optional parameter structure - version 1

| | Parameter | Data type | Default | Description |
|---|---------------------|-----------|------------------------|--|
| 1 | structVersion | INT | | Version of structure - 1. |
| 2 | cacheld | INT | 0 (default read cache) | Identifier of cache. |
| 3 | version | INT /TEXT | invalid (not defined) | Identifier (id/code) of version from which the reading should be performed. |
| 4 | envName | TEXT | "" | Name of EDA environment that will be used for calculation. |
| 5 | isIntegral | BOOL | @FALSE | Flag of integrality of vector. |
| 6 | periodBeg inTime | TIME | | Begin time of vector step (for general periodic vectors). |
| 7 | periodSte pBase | INT | 0 | Duration of basic step of periodic vector (for general periodic vectors). |
| 8 | periodSte pCount | INT | 0 | Number of basic steps in one vector period (for general periodic vectors). |
| 9 | periodTim eZone | INT | -1 | Offset of time zone of vector in seconds <-12*3600 .. 12*3600>. It must be a multiple of 3600 or -1 (-1 - it uses time zone of process). |

The return value is _ERR_NO_ERROR after the operation has ended successfully.



Related pages:

[Graphic object manipulation functions](#)
[Function arguments - types](#)