

READPICKNOTES

READPICKNOTES

Function

The action reads the notes according to the specified criteria.

Declaration

READPICKNOTES

_bt,

_et,

_pictName,

_pictDesc,

_userName,

_notes

Parameters

_bt, _et	in	Identifiers of the <i>AbsTime</i> type - defines a time interval for records selection.																				
_pic tNa me	in	Identifier of the <i>String</i> type - represents the condition for records loading. It loads only records with the attribute "Name" which match the mask which is entered in the parameter n ame . If the input value is invalid, this condition is ignored.																				
_pic tDe sc	in	Identifier of the <i>String</i> type - represents the condition for records loading. It loads only comments assigned to schemas whose description matches the mask specified by the _pictDesc parameter. If the input value is invalid, this condition is ignored.																				
_us erN ame	in	Identifier of the <i>String</i> type - represents a mask (condition) for loading notes. Loads only comments created by users whose names match the mask specified by the _userName parameter. If the input value is invalid, this condition is ignored.																				
_not es	o ut	Identifier of the whole local structure - however, the structure must contain exactly 10 columns. Types and meaning of individual columns: <table> <tr><td>noteUUID</td><td>String</td></tr> <tr><td>picture_name</td><td>String</td></tr> <tr><td>valid</td><td>Boolean</td></tr> <tr><td>bt</td><td>AbsTime</td></tr> <tr><td>et</td><td>AbsTime</td></tr> <tr><td>text</td><td>String</td></tr> <tr><td>create_author</td><td>Text</td></tr> <tr><td>create_time</td><td>AbsTime</td></tr> <tr><td>last_modified_author</td><td>Text</td></tr> <tr><td>last_modified_time</td><td>AbsTime</td></tr> </table>	noteUUID	String	picture_name	String	valid	Boolean	bt	AbsTime	et	AbsTime	text	String	create_author	Text	create_time	AbsTime	last_modified_author	Text	last_modified_time	AbsTime
noteUUID	String																					
picture_name	String																					
valid	Boolean																					
bt	AbsTime																					
et	AbsTime																					
text	String																					
create_author	Text																					
create_time	AbsTime																					
last_modified_author	Text																					
last_modified_time	AbsTime																					

Příklad

```
PROCEDURE ReadNotes
  TEXT _userName
  TEXT _pictName
  TEXT _pictDesc
  TIME _bt, _et
  RECORD NOALIAS (SD.PICTNOTE) _notes

  _userName := ""
  _pictName := ""
  _pictDesc := ""
  _bt := SysTime
  _bt := %TimeFromItems(%Year(_bt), %Month(_bt), %Day(_bt), 0, 0, 0, 0)
  _et := %TimeFromItems(%Year(_bt), %Month(_bt), %Day(_bt)+1, 0, 0, 0, 0)

  READPICTNOTES _bt, _et, _pictName, _pictDesc, _userName, _notes

END ReadNotes
```



Related pages:

[Actions in scripts](#)