

HI_SetRectRounding

%HI_SetRectRounding function

Funkcia

Function %HI_SetRectRounding sets the rounding of the corners of rectangles, the text in the rectangle with the background and the edges of windows controls.

Deklarácia

```
%HI_SetRectRounding(  
    INT in _refId,  
    INT in _rounding1,  
    [, INT in _rounding2  
     , INT in _rounding3  
     , INT in _rounding4]  
)
```

Parametre

<u>_refId</u>	Reference to graphic object (reference variable).
<u>_rounding1</u>	rounded corners upper left
<u>_rounding2</u>	optional corner rounding parameter upper right, if not specified _rounding1 is used
<u>_rounding3</u>	optional corner rounding parameter upper down, if not specified _rounding1 is used
<u>_rounding4</u>	optional corner rounding parameter left down, if not specified _rounding1 is used

Poznámka

Parameters _rounding2,_rounding3,_rounding4 all or none must be entered.

Príklad

```
; corner roundings  
%HI_SetRectRounding(_RFID_BOX, 2, 3, 4, 5)  
%HI_SetRectRounding(_RFID_BOX, 0, 0, 0, 0)  
  
; shortened  
%HI_SetRectRounding(_RFID_BOX, 2) ; set all to 2  
%HI_SetRectRounding(_RFID_BOX, 0) ; switch off
```



Related pages:

[Graphic object manipulation functions](#)
[Function arguments - types](#)