

Logging

Logging displayer

The Displayer of Logging type, placed in picture, allows user to view data from the log database. Requests for a data from the log database are specified by the `%HI_SetLogDBForObject` and `%HI_SetLogDBByMask` functions.


Active picture script allows user to set a [text font](#) for displayer - the function `%HI_SetFontSyle` (note: reset to default style - `%HI_SetFontSyle(refId, 0)`)

To create a Logging displayer

1. In the [Drawing toolbar](#) click the button **Logging** .
2. Point the mouse cursor to the position of the first displayer corner and click.
3. Point the mouse cursor to the position of the diagonal displayer corner and click.

The parameters of the logging displayer are being configured in the palette [Connect object](#) through the following tabs:

Parameters



Frame

Allows drawing the frame of the displayer. Possible options:

- Don't draw
- Draw
- 3D

Script

Reference variable

Specifies the name of the displayer in the form of a reference variable for use in the picture script.

Metadata

Assignment of application data ([metadata](#)) to a graphic object. If the object contains some metadata, the name of the first record will be displayed on the button. Multiple records are indicated by ",...".

Event

The parameter is not important for the Logging displayer.

Note relating to D2000 Thin Client

The logging displayer is not supported in Thin Client.

For more rules see the page [Drawing rules and object properties for the D2000 Thin Client](#).



Related pages:

[Displayers](#)

[Logging manipulation functions](#)